


Black ABS writing tablet TDX03 or black HPL (th.10 mm) TDX02 with aluminium joint. Available left-handed HPL writing tablet (Th.10 mm).



Thermo-injected polypropylene (PP) seat and backrest.  
 Black RAL 9005  
 Grey RAL 7040.  
 Blue RAL 5013  
 Sand Pantone 7530C  
 White RAL 9003.

Polypropylene Cover (PP)  
 Black RAL 9005  
 Grey RAL 7040.



Thermo-injected glass-filled polypropylene (PP) armrests  
 Black RAL 9005  
 Grey RAL 7040  
 Blue RAL 5013  
 Sand Pantone 7530C  
 White RAL 9003  
 Available without armrests.

Steel pipe frame 31X17 mm.  
 Epoxy powder painting  
 Black RAL 9005  
 Grey  
 or galvanic treatment of chrome painting.


Polypropylene plug  
 Black RAL 9005 (with Black ore Chromed frame),  
 Grey RAL 7040 (with Grey frame).  
 Available swivel castor ø50 mm in zamak and polypropylene (PP) + anti-trace thermoplastic rubber.

OPLA' - OPLA' R x 20


OPLA'\_BR—OPLA'\_R\_BR x 20

OPLA'\_BR TDX03/TDX02—OPLA'\_R\_BR TDX03/TDX02 x 15


Optional



**OPLA' 02**  
 Black steel linking device for chairs with armrests







**OPLA' 01**  
 Black linking device in polypropylene for chairs without armrests.



**OPLA' BD**  
 Spacer bar frame in black steel, only for chairs with feet.




**OPLA' CARR**  
 Black steel pipe frame trolley-chairs (max 20 chairs).



Compliance certificate with UNI EN 16139:2013, level 1°.

Black ABS writing tablet TDX03 or black HPL (Th.10 mm) TDX02 with aluminium joint.  
Available left-handed HPL writing-tablet (Th.10 mm).



Polypropylene (PP) inner seat covered in polyurethane resin thk. 30 mm. Mirage or Planet upholstery.

Polypropylene Cover (PP)  
Black RAL 9005  
Grey RAL 7040.

Steel pipe frame 31X17 mm.  
Epoxy powder painting  
Black RAL 9005  
Grey  
or galvanic treatment of chrome painting.




Thermo-injected polypropylene (PP) backrest.  
Black RAL 9005  
Grey RAL 7040.  
Blue RAL 5013  
Sand Pantone 7530C  
White RAL 9003.


Thermo-injected glass-filled polypropylene (PP) armrests  
Black RAL 9005  
Grey RAL 7040  
Blue RAL 5013  
Sand Pantone 7530C  
White RAL 9003  
Available without armrests.

Swivel castor ø50 mm in zamak and polypropylene (PP) + anti-trace thermoplastic rubber.  
Available polypropylene plug  
Black RAL 9005 (with Black or Chromed frame),  
Grey RAL 7040 (with Grey frame).


Optional



**OPLA' 02**  
Black steel linking device for chairs with armrests



**OPLA' 01**  
Black linking device in polypropylene for chairs without armrests.



**OPLA' BD**  
Spacer bar frame in black steel, only for chairs with feet.









**OPLA' CARR**  
Black steel pipe frame trolley-chairs (max 20 chairs).


OPLA' PT - OPLA' PT R x 8

OPLA' PT\_BR—OPLA' PT R\_BR x 10

OPLA' PT\_BR TDX03/TDX02 - OPLA' PT R\_BR TDX03/ x 10



Black ABS writing tablet TDX03 or black HPL (Th.10 mm) TDX02 with aluminium joint.  
Available left-handed HPL writing tablet (Th.10 mm).



Polypropylene (PP) inner seat and backrest covered in polyurethane resin thk. 30 mm. Mirage or

Polypropylene Cover (PP)  
Black RAL 9005  
Grey RAL 7040.

Steel pipe frame 31X17 mm.  
Epoxy powder painting  
Black RAL 9005  
Grey  
or galvanic treatment of chrome painting.



Polypropylene cover (PP) backrest.  
Black RAL 9005  
Grey RAL 7040.

Polypropylene (PP) inner backrest covered in polyurethane resin thk.15 mm.  
Mirage or Planet upholstery.

Thermo-injected glass-filled polypropylene (PP) armrests  
Black RAL 9005  
Grey RAL 7040  
Blue RAL 5013  
Sand Pantone 7530C  
White RAL 9003  
Available without armrests.


Swivel castor ø50 mm in zamak and polypropylene (PP) + anti-trace thermoplastic rubber.  
Available polypropylene plug  
Black RAL 9005 (with Black or Chromed frame),  
Grey RAL 7040 (with Grey frame).

OPLA' TAP - OPLA' TAP R x 8


OPLA' TAP\_BR—OPLA' TAP R\_BR x 10

OPLA' TAP\_BR TDX03/TDX02 - OPLA' TAP R\_BR TDX03/TDX02 x 10


### Optional



**OPLA' 02**  
Black steel linking device for chairs with armrests



**OPLA' 01**  
Black linking device in polypropylene for chairs without armrests.




**OPLA' BD**  
Spacer bar frame in black steel, only for chairs with feet.




**OPLA' CARR**  
Black steel pipe frame trolley-chairs (max 20 chairs).


OPLA' TAP




OPLA' TAP R




OPLA' TAP\_BR




OPLA' TAP



OPLA' TAP\_BR TDX03/TDX02



OPLA' TAP R\_BR  
TDX03/TDX02



Compliance certificate with UNI EN 16139:2013, level 1°.